



## PREMIUM AIR MAKEUP UNITS

400,000 TO 3.5 MIL BTUS





# BLU FIRE

## LOW NOx HEATER

**Increase** the quality of your finish.

Better the **quality** of your air.

Maximize your **productivity + profitability**.



MODEL



FAN SIZE



BTUS



CFMS



DIMENSIONS



CURE TOUCH



VFD

CZ-PLTLN 1M

20"


1,000,000

12,000

42"w x 42"h x 84"l

V570

INCLUDED




### GO MAXIMUM PERFORMANCE, GO BLU

Blu Fire is CureZone's highest-performing air make up unit. It's ecological Low NOx heater is designed to provide the fastest, cleanest spraying and baking cycle. It's "blu" flame is powered by natural gas which makes it highly-economical to operate and ecological friendly.

### CURE TOUCH CONTROL TECHNOLOGY

Blu Fire is equipped with Cure Touch CZ-V570 technology which gives you full control of your heater's functions and performance.

The touch-screen monitor comes with everything from Fast-Dry cure mode to even the more economical "prep" mode. Power and control right at your fingertips.





# RAPID FIRE

1MIL - 3.5MIL HEATER

CureZone Air Makeup Units can be constructed either horizontally or vertically for both outdoor and indoor configurations, and can be made to fit any current booth setup. Available options:

- 9,000 CFM to 32,000 CFM
- Natural Gas or Propane Gas
- Fast-Dry Cure or Eco-Cure (recycle)
- Economical "Prep" Mode



MODEL



FAN SIZE



BTUS



CFMS



DIMENSIONS



CURE TOUCH



VFD

CZ-PLTDF 1M-3.5M

20" - 42"

1MIL - 3.5MIL

9,000-32,000

VARIES

UPGRADE

INCLUDED



## INCREASE PERFORMANCE & EFFICIENCY

Rapid Fire air make up units are made to be fully customizable for your new or existing booth. These powerful heating units can be equipped with up to 3,500,000 BTU heaters to suit even the most high turn-over demands. It's peak performance, while being designed to be highly-efficient and energy saving.

## RAPID DIRECT FIRE HEATER

The Direct Fire Burner system delivers the growing temperature demand by today's high quality paint products. 98% efficient design, can escalate internal air temperatures to 175° in less than two minutes. Available from 1 million to 3.5 million BTU burners







# ECO FIRE

## 400K HEATER

### Better results with CureZone Heaters:

- Reduction in total energy cost
- Easy installation and setup
- Superior finishing due to reduced air particulates
- Decreased cold air permeation
- Increased production with a faster dry time



MODEL



FAN SIZE



BTUS



CFMS



DIMENSIONS



CURE TOUCH



VFD

CZ-PST 400K

30"

400,000

9,000

36" w x 36" h x 60" l

UPGRADE

INCLUDED



### IT'S TIME TO START **SAVING** TIME & MONEY


The Eco Fire air make up unit releases conditioned heated air evenly throughout the spray booth and is designed for energy efficiency. The unit removes particulates from the atmosphere that damage the finished painted quality. Equipped with advanced precision controls to minimize temperature variations in the booth.

### **INCREASE PROFIT** BY DECREASING PRODUCTION TIME

All CureZone heaters are designed with eco-mode, an energy efficiency setting created to decrease energy and overall operation costs. With faster curing times and better finishes, you will increase profit and decrease costly overhead expenses.








## CONSTANT VOLUME

### Design

100% outdoor air during paint & bake cycles.  
Fixed discharge air volume.

### Function

Provides constant fresh air to booth.




## REDUCED VOLUME BAKE CYCLE

### Design

100% outdoor air during paint and bake cycles.  
Discharge air volume reduced to 50% during bake.

### Function

Reduced airflow in bake reduces gas consumption.




## REDUCED VOLUME BAKE CYCLE

### Design


100% outdoor air during paint and bake cycles.  
Discharge air volume reduced to 50% during bake.

### Function


Recirculates heated air for reduced gas consumption.




CEILING (INSIDE) MOUNTED • BOTTOM DISCHARGE



ROOF (OUTSIDE) MOUNTED • BOTTOM DISCHARGE



CEILING (INSIDE) SUSPENDED • END DISCHARGE



PAD (OUTSIDE) MOUNTED • HORIZONTAL DISCHARGE

## CureZone Incorporated CORPORATE OFFICE

5630 W. Mission Boulevard  
Ontario, California 91762

call: 909-986-1100  
fax: 909-986-1188

e-mail: [sales@cure-zone.net](mailto:sales@cure-zone.net)  
[www.cure-zone.net](http://www.cure-zone.net)

### CURE TOUCH CONTROL TECHNOLOGY

---




**CZ-V130**  
LCD display &  
keypad



**CZ-V350**  
3.5" Color Touchscreen  
& keypad



**CZ-V570**  
5.7" Color Touchscreen



**CZ-V1210**  
12.1" Color Touchscreen



### complete compliance

CureZone Inc. manufactures and installs air make up units that are guaranteed to pass the most stringent city, state and national regulations.

California Building Code  
California Fire Code  
California Electric Code  
California Plumbing Code

National Electric Code  
California Mechanical Code  
California Energy Code  
NFPA 13, 17, 133



NOW LOOKING FOR **DISTRIBUTORS**  
EMAIL US AT: [SALES@CURE-ZONE.NET](mailto:SALES@CURE-ZONE.NET)



view our full line at  
[www.cure-zone.net](http://www.cure-zone.net)