

EASY-KLEEN

PRESSURE SYSTEMS LTD.

MANUFACTURER OF HIGH PRESSURE CLEANING EQUIPMENT
The Longest Lasting Pressure Washers On The Market

INDUSTRIAL HOT WATER ELECTRIC



BUFFALO SERIES



MANUFACTURED IN CANADA 

1-800-315-5533

SINCE
1982



Ideal for in-plant, service shop, and wash bay systems. These are the most efficient, long lasting machines on the market. Simple in design for ease of maintenance and usability.

HOTTER, FASTER, & MORE EFFICIENT!

Options & Accessories

- Auto Stop Start
- Hose Reel
- Rotary Nozzle
- Draft Hoods
- Wheel Kits
- Stainless Steel Coils
- VFD • PLC Control
- Second Pumping Systems
- Soap Solenoid & Switch
- Remote Station
- Steam Kit • Dual Gun Kit
- Leg Stands
- Remote Control
- **Stainless Steel and Wheel Kits Available**
- **Propane Fired Units start with (EZP)**



**BUFFALO
 SERIES**



Unit Shown with Shroud Tipped Ahead



EZN3010-3-575/A
 with Optional Auto Stop/Start



10 GPM @ 3000 PSI
 Double Pump
 Wash Bay Systems
 with Leg Stand



Direct Drive Propane Fired
 Units Are Portable with 30lb
 Tank Brackets.

◀ EZP1502-1/-WK
 EZP2435E-1/A-WK ▶



Direct Drive
 Natural Gas Units
 Are Stationary
 Without A Shroud
 EZP2435-1/A ▶



MODEL	GPM	PSI	BTU	HP	DRIVE	VOLTAGE	L" X W" X H"
EZN1502-1	2	1500	195,000	2	DIRECT	120V-1PH	43 X 30 X 45
EZN2435E-1	3.5	2400	290,000	5	DIRECT	220V-1PH	37 X 30 X 40
EZN3035E-1	3.5	3000	290,000	7.5	DIRECT	220V-1PH	37 X 30 X 40
EZN2004F-1-A	4	2000	390,000	5	FLANGE/COUPLING	220V-1PH	48 X 26 X 44
EZN2004-1-A	4	2000	390,000	5	BELT	220V-1PH	48 X 26 X 44
EZN2004F-3	4	2000	390,000	5	FLANGE/COUPLING	208/230/460/575 V-3PH	48 X 26 X 44
EZN2004-3	4	2000	390,000	5	BELT	208/230/460/575 V-3PH	48 X 26 X 44
EZN3004F-1-A	4	3000	390,000	7.5	FLANGE/COUPLING	220V-1PH	48 X 26 X 44
EZN3004-1-A	4	3000	390,000	7.5	BELT	220V-1PH	48 X 26 X 44
EZN3004F-3	4	3000	390,000	7.5	FLANGE/COUPLING	208/230/460/575 V-3PH	48 X 26 X 44
EZN3004-3	4	3000	390,000	7.5	BELT	208/230/460/575 V-3PH	48 X 26 X 44
EZN3005-1-A	5	3000	390,000	10	BELT	220V-1PH	48 X 26 X 44
EZN3005-3	5	3000	390,000	10	BELT	208/230/460/575 V-3PH	48 X 26 X 44
EZN3005-HT-1-A	5	3000	510,000	10	BELT	220V-1PH	61 X 31 X 51
EZN3005-HT-3	5	3000	510,000	10	BELT	208/230/460/575 V-3PH	61 X 31 X 51
EZN4004F-1-A	4	4000	390,000	10	FLANGE/COUPLING	220V-1PH	48 X 26 X 44
EZN4004-3	4	4000	390,000	10	BELT	208/230/460/575 V-3PH	48 X 26 X 44
EZN2008-1-A	8	2000	720,000	10	BELT	220V-1PH	61 X 31 X 51
EZN3606-3	6	3600	560,000	15	BELT	208/230/460/575 V-3PH	61 X 31 X 51
EZN3008-3	8	3000	720,000	20	BELT	208/230/460/575 V-3PH	61 X 31 X 51
EZN3608-3	8	3600	720,000	20	BELT	208/230/460/575 V-3PH	61 X 31 X 51
EZN3010-3	10	3000	940,000	20	BELT	208/230/460/575 V-3PH	66 X 35 X 62
EZN2512-3	12	2500	940,000	20	BELT	208/230/460/575 V-3PH	66 X 35 X 62
EZN5005-3	5	5000	510,000	20	BELT	208/230/460/575 V-3PH	66 X 35 X 62
EZN6004-3	4	6000	390,000	20	BELT	208/230/460/575 V-3PH	57 X 31 X 47
EZN7004-3	4	7000	390,000	20	BELT	208/230/460/575 V-3PH	57 X 31 X 47
EZN8008-3	8	8000	720,000	50	BELT	208/230/460/575 V-3PH	81 X 38 X 51

Lotia Sons Pvt Ltd. Testimonial

"We bought our machine in August 2015 to clean surfaces to prepare for powder coating. We bought this unit because of its superior cleaning which makes the whole process more efficient and cost effective. The best part about this machine is the fact that you don't need to use chemicals to get amazing results which is very important to us because that ensures there is no negative impact on the environment.

This purchase lived up to our expectations and I would definitely recommend Easy Kleen."

- Zahra Nadeem Ahmed (Islamabad, Pakistan)



Innovative Features

Quick Kleen Burner System

Each model in this series is equipped with a Quick Kleen Burner System. Your burner orifices should be cleaned every 6 months and this system makes it easy to do so. You simply disconnect the wiring harness, remove 2 bolts and your burner will slide out with ease. Once you have cleaned your burner, the apparatus will easily slide back into place with a little push. Quick and Easy Maintenance.



Quick Adjust Air Flow Vents

The Quick Adjust Air Flow Vents allow you to adjust the amount of air that is flowing into the burner chamber. This adjustment allows you to maximize the efficiency of the burner by fine tuning the CO levels to optimize emission levels at different altitudes. This allows you to adjust your air flow quickly and simply.



Tip Ahead Shroud with Integrated Belt Guard

The Tip Ahead Shroud allows you to easily access all of your motor and pump components in seconds. You simply loosen the T-Nuts on both sides of the unit and pull the shroud forward. The belt guard is integrated into the design of the shroud for maximum serviceability and safety. This ensures that your belt and pulley system will never be exposed.



Nema 4 Water Tight Control Panel

Electrical Nema 4 water tight control panels complete with hinged covers are utilized for easy service access. No unnecessary electronics are used when designing these units, making service and diagnostics simple. Available with standard on/off switch or optional autostart/stop timer shutdown. Standard on 4 - 12 GPM models.



Standard Features

Electric Motors

Totally enclosed fan cooled full frame 1750 RPM electric motors. Single phase equipped with a 1.15 service factor, 3 phase equipped with a 1.25 service factor, both are high efficiency.

General Pumps

Italian made industrial heavy-duty triplex plunger pump with oil bath crankcases, stainless steel valves and brass manifolds. General Pumps are the most widely used pumps in the world.

(Other Pumps Also Available)

Drive Systems

Belt Drive - large diameter pulleys are used to reduce belt wear.

Flange and Coupling Drive - Available for those who do not prefer belt drives.

Heating Coil

Elliptically wound cold process of stretched reduced full body normalized ASTM A53/APIPSL schedule 80 or 160 pipe. The coil is structurally braced to minimize pipe wear and vibration. It is sealed with a ceramic blanket in a stainless steel housing.

Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Burners

Quality North American made natural gas or propane fired burners and controls with adjustable thermostats are used for efficiency, dependability and serviceability. Units are equipped with quick kleen burner apparatuses. Burner jets have 6 oxygen orifice inlets to ensure maximum burn and minimize CO results.

Frame

Rugged 11 gauge and 1/4" bent one piece plate steel frame is fully welded with a powder coat finish. Frames are equipped with 11 gauge steel shrouds with integrated belt guards for maximum serviceability.

Also Includes

These units include: gun and wand assembly, 50' of high pressure hose, high pressure chemical injection, 5 nozzles and poly float tanks on 4 - 12 GPM units.

TESTIMONIAL

Hewitt Rentals (CAT Rentals)

Hewitt Rentals (CAT Rentals) in Moncton New Brunswick are the proud owners of an Easy-Kleen Buffalo Series High Pressure, Hot Water, Electric, Belt Driven 4 GPM @ 3000 PSI Cleaning System. Hewitt Rentals uses their Pressure Washer for cleaning rental equipment on a daily basis and they are a HUGE fan of their High Pressure Chemical Injector System. Purchased April 2015.

*"It's Quick, It's Easy and We Get The Perfect Results"
"C'est bon!"*

TESTIMONIAL

Brown's Paving Ltd.

"We've owned an Easy-Kleen Pressure Washer for over 20 years, it's been a stationary unit that we've had in the shop, and we've had very little trouble with it. It's used generally every day if not a few times a day depending on how much stuff needs cleaned."

~ *Corey McAllister*

BUFFALO SERIES

Hosted by Josh

This video spotlights our Buffalo Series Pressure Washers, with a 4GPM @3000 PSI Industrial Hot Water Propane Fired unit at Hall Brothers Enterprises, in Norton, New Brunswick. This machine will tackle grease and grime with ease. Not only is this unit made with durable, quality parts, but it will help you get the job done easier and faster, saving you time and money.

REVISITING THE PAST

Hosted by Brad

In this video, Brad visits a site that has a machine that he personally delivered 30 years ago! There are many Easy-Kleen units out there that have given 30 years of service to their owners and continue to keep on washing, so it is very important you choose the right machine that will do you now and in the future.



LEG FRAME

Regulations require gas fired machines must be a specified amount of distance away from combustible material. (Differs per region).

STAINLESS STEEL FRAMES

Stainless steel frames are marine grade and ideal for use in fish and food applications.



STAINLESS STEEL COILS

Stainless steel coils are ideal for corrosive or sanitary environments such as food and fish plants, salt water off shore operations, mills, and mining.



UNDERCARRIAGE, WATERBROOM, & SURFACE CLEANER ACCESSORIES

Maintain shop cleanliness and easily wash everything from floors to the undercarriages on your equipment.



DEMA INLINE CHEMICAL INJECTOR

Allows the chemical to go on at high pressure. Manual ON/OFF ball valve control. Also allows you to be able to meter the amount of chemical coming out.



FOAM BRUSH ASSEMBLY

The assembly comes with a soft bristle brush, as well as a single bay chemical mixer/injector kit for your foam option.



CONTROL PANELS

To control the functions of your pressure washer & soap from the wash-bay location.




HIGH LOW GAS VALVES

To regulate temperature on system when using a 2 gun operation.



A-FRAME HOSE REEL - INDUSTRIAL

Can be mounted on various units. Rated at 5000 PSI



FESTOON SYSTEM

To hold the hose off the floor.



SPRING DRIVEN HOSE REEL

Ideal for use in garage and wash-bay setups. Self winding, Rated at 3000 PSI, 100' capacity.