

EASY-KLEEN

PRESSURE SYSTEMS LTD.

MANUFACTURER OF HIGH PRESSURE CLEANING EQUIPMENT
The Longest Lasting Pressure Washers On The Market

OPEN & MODULAR HOT WATER HEATERS



WILDCAT HEATERS



MANUFACTURED IN CANADA 

1-800-315-5533

**SINCE
1982**



Natural Gas (EZN) or Propane Fired (EZP)

Heating Coil

- Schedule 80 or optional 160 Pipe (up to 11,500 PSI)
- Elliptically Wound & Stretched • No Seam Welds
- Structurally Braced to Reduce Vibration & Pipe Wear
- Sealed with Ceramic Blanket
- Stainless Steel Housing • Thermostat Controlled
- Optional Stainless Steel Coil

Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Burners

- Natural Gas or Propane Fired
- Natural Aspirated Ring Cast Burner
- Six Oxygen Port Brass Burner Nozzles for Lower Emissions Controlled by 24 Volt Gas Valves
- Quick Clean Burner System
- Quick Adjust Air Flow Vents (Enclosed Design to Allow for Optimum Air Flow to Maximize Efficiency)

Safety Features

- Flow switch • Rupture Disc • High Limit
- Adjustable Thermostat • Gas Pressure Gauge

Frame

- 11 gauge to 1/4" steel • All Welded
- Fully Powder Coated

Electrically Heated Heater

- Must know HP of Paired Unit • 316 Stainless Steel Heat Exchanger Coil • Designed for Continuous Use
- Large 70 Gallon (Single Coil Models) & 120 Gallon (Dual Coil Models) Heater Storage Tanks
- Allows for Continuous Recovery Even When Trigger Gun(s) Not in Use • No Venting Required
- No Open Flame • Compact Foot Print
- Can be Installed in Virtually Any Location
- Stand and Explosion Proof Models
- Heater Exchanger Coils Do Not Require De-calcification • Require Less KW Than Input Direct-Immersion Type Electrically Heated Models
- Low Heat Exchanger Solution Cut-Off Switch
- Adjustable Temperature Controller
- Pin-Type Calrod Heating Elements With Incoloy Sleeves

Our Modular Hot Water Heaters are designed for heating high pressure water efficiently.



WILDCAT HEATERS



EHE48
Electrically Heated



EZN940
Gas Fired

EZP940
Propane Fired

Electrically Heated



Gas Fired



NATURAL GAS (EZN) & PROPANE (EZP) FIRED HEATERS

MODEL	PSI	BTU	VOLTAGE	BASE MEASUREMENTS L" X W" X H"
EZN195	5000	195,000 BTU	24V	18 X 24 X 39
EZN295	5000	295,000 BTU	24V	22 X 26 X 40
EZN390	5000	390,000 BTU	24V	22 X 26 X 44
EZN510	5000	510,000 BTU	24V	24 X 31 X 49.75
EZN560	5000	560,000 BTU	24V	24 X 31 X 49.75
EZN720	4000	720,000 BTU	24V	24 X 31 X 49.75
EZN940	4000	940,000 BTU	24V	31 X 35 X 61.25

ELECTRICALLY HEATED

MODEL	PSI	VOLTAGE	L" X W" X H"
EHE24	4000	24 KW	32 X 24 X 36
EHE48	4000	48 KW	32 X 24 X 36
EHE72	4000	72 KW	32 X 24 X 36
EHE48-2	4000	48 KW	48 X 24 X 36
EHE72-2	4000	72 KW	48 X 24 X 36
EHE99-2	4000	99 KW	48 X 24 X 36

Heating Coil

Elliptically wound cold process of stretched reduced fully body normalized ASTM A53/ API5L schedule 80 or optional 160 pipe is structurally braced to minimize pipe wear and vibration. The coil is sealed with a ceramic blanket and enclosed in a stainless steel housing for heating efficiency. These coils have been specially designed to be paired with the burners for maximum heating and fuel efficiency. The coils are securely mounted to the frames to reduce vibration and enhance ease of maintenance. Wet/dry steam option available. (Optional 11,500 PSI Coils)

Optional CRN/ASME 30.1 Pressure Vessel Coded Coils

Burners (Wayne)

Quality North American made oil fired burners with adjustable thermostats are used due to their efficiency and durability. Safety features include: flow switch, pressure switch, rupture disc, high limit and adjustable thermostat.

Control Panel

Nema 4 water tight control panels are utilized.

Frames

Industrial grade frames are fully welded and powder coated for longevity. Install ready.

Options

Hydraulic, electric, gasoline, and diesel driven pump systems are available to pair with these units, as well as Long Body Frame options.



WILDCAT HEATERS



Redundancy packages, various types of thermostats, flow switches, and safety features are also available to meet your specifications.



MODEL	BTU	VOLTAGE	SCHEDULE 80 PSI	SCHEDULE 160 PSI	DIMENSIONS L" X W" X H"
EZO200	200,000	120 OR 12	5000	10,000	16 X 16 X 37
EZO350	350,000	120 OR 12	5000	10,000	18 X 18 X 42
EZO400	400,000	120 OR 12	5000	10,000	18 X 18 X 42
EZO350/WK	350,000	120 OR 12	5000	10,000	18 X 18 X 42
EZO440	440,000	120 OR 12	5000	10,000	19 X 19 X 51
EZO600	600,000	120 OR 12	5000	10,000	22.5 X 22.5 X 50
EZO700-(1/2)	700,000	120 OR 12	5000	10,000	22.5 X 22.5 X 50
EZO800-(1/2)	800,000	120 OR 12	5000	10,000	22.5 X 22.5 X 50
EZO800-(3/4)	800,000	120 OR 12	4000	8000	26.5 X 26.5 X 58
EZO900-(3/4)	900,000	120 OR 12	4000	8000	26.5 X 26.5 X 58
EZO1000-(3/4)	1,000,000	120 OR 12	4000	8000	26.5 X 26.5 X 64
EZO1200-(3/4)	1,200,000	120	4000	8000	31 X 31 X 62
EZO1800-(1)	1,800,000	120	3200	6000	31 X 31 X 70
EZO2000-(1-1/4)	2,000,000	120	3000	5000	36 X 36 X 70

WALKTHROUGH

Hosted By Mike

Introducing, our install-ready Hot Water Oil Fired Modular Heaters for vacuum and hydro vac trucks. The coils have been specially designed for maximum heating and are enclosed in a rugged heavy-gauge cabinet for durability, even in severe road conditions. Tune in to learn more with Mike!

TESTIMONIAL

Clean Earth Industrial Services

"Reliable and Rugged... Easy-Kleen reaches a quality standard unmatched by any competitor in the industry. Easy to install and easy to maintain, the details have been thought out to improve efficiency and usability. I have been using Easy-Kleen equipment for 20 years in Industrial Service companies. I would highly recommend purchasing Easy-Kleen equipment to anyone in the industry or anyone in need of high pressure cleaning equipment."

- Troy Canning, Clean Earth Industrial Services



TESTIMONIAL

Pardy's Waste Management

"This Easy-Kleen unit will clean anything from oil water separators to crude oil, bunker spills, bunker oil. Right down to just washing the company units, even pick up trucks. Customer Service is very helpful, knowledgeable, overall friendly people."

- Dale Lynk, Pardy's Waste Management

TESTIMONIAL

Vacuum X-Traction Products Inc

"Vacuum X-Traction Products has worked with the Easy-Kleen team for over 3 years. Their products have proven to be industry leaders. Easy-Kleen's engineering team designed our units specifically to fit our models. The 5,000 lb inner coils are the best on the market. With their boilers installed on over 50 of our units, we have yet to receive one customer complaint or service call. Hats off to their entire team!"

- Gary W. Harms Jr., CEO, Vacuum X-Traction Products Inc





EZJ4020HD

VAC TRUCK HEATER/JETTING COMBO UNIT

This custom hot water jetting system for vac trucks houses your heater and has sufficient space for additional hose reels. This unit features 20 GPM @ 4000 PSI with a hydraulic motor. This unit features an oil fired heater system for hot water that deliver 1,000,000 BTUs. It comes equipped with 300' of 3/8" pressure hose on a 12 volt electric hose reel and 500' of 1/2" jetting hose on a hydraulic hose reel. It is all easily controlled from a curb mounted panel. It keeps everything you need on one centralized unit.



WILDCAT HEATERS



ROTARY NOZZLES

Rotary nozzles can cut cleaning time in half. Easy-Kleen carries a variety of rotary nozzles from commercial to industrial grade.



12V HOSE REEL

Capacity: 150' to 500'
 Industrial 12 or 120 Volt hose reel.



JOINER HOSE

Single Braid Connects short distances.
 Rated at 4000 PSI and 212° F



QUICK COUPLERS WITH COLLAR STOPS

For speedy and sturdy interchanging of tools and attachments. Disconnect coupler band rated at 5000 PSI, 175°F.



GIANT™ ROTARY NOZZLES

Giant's original Turbo Laser™ nozzles takes the power of a zero-degree nozzle and rotate it in either a circular or linear fashion. This allows the user to clean up to 70% faster than with a conventional zero-degree nozzle.



SPRING DRIVEN HOSE REEL

Ideal for use in garage and wash-bay setups.
 Self winding
 Capacity: 100'
 Rated at 3000 PSI




HYDRO EXCAVATION NOZZLE

Dig faster, save water! The Ripsaw Rotating Turbo nozzle is specifically designed and engineered for the rugged Hydro-Excavation industry. It's cone shaped flow pattern (18°) is ideal for potholing applications. 35% Faster than Regular Rotary Tips.




GUN & WAND ASSEMBLIES

Gun with 31" lance and side grip




1/4" Stainless Steel Lances with Handle - Available in 36" Length

1/4" and 1/2" Stainless Steel Lances - Available in 36", 48", 72" & 84" lengths



TRIGGER GUNS



SIDE HANDLE GRIP

Great for extra control, leverage, and precision.



GUN-TG5010
 10 GPM @ 5000 PSI
 3/8" Inlet, 1/4" Outlet



GUN-TG5012-RX
 12 GPM @ 5000 PSI
 3/8" Inlet, 1/4" Outlet



GUN-TG7221-12
 21 GPM @ 8100 PSI
 1/2" Inlet/Outlet



GUN-LG4510
 10.5 GPM @ 4500 PSI
 3/8" Inlet, 1/4" Outlet



GUN-LG4510
 32 GPM @ 1950 PSI
 1/2" Inlet/Outlet



GUN-LG4032-12
 32 GPM @ 4050 PSI
 1/2" Inlet/Outlet