

Instructions for Part # RR-FS Series



General Guidelines 🔨

- It is the user's responsibility to read and follow all instructions.
- Keep these instructions with the product at all times and review before each use.
- It is the responsibility of this product's owner to furnish the instructions to any person that borrows or purchases the product.
- Inspect the product before use to ensure all pieces are included, are in safe working order, and free of defects or damage.
- Never modify this product in any way.
- Never use this product in a way for which it is not intended.
- All circumstances cannot be addressed in these instructions. Please use common sense and practice general safety measures when using this product.
- Parts and/or instructions are subject to change without notice.

Safety 🔨

- Do not exceed the listed weight capacity.
- Do not exceed the recommended tire width.
- Only use on a level, relatively even surface. Remove all small hard objects such as pebbles or stones, as they can act like small ball bearings and create a poor surface for use. Dirt, sand, or grass are acceptable.
- Make sure there is adequate room for loading and unloading your vehicle and there are no obstructions.
- It is recommended to use a spotter to help safely guide your vehicle up the ramps. Any bystanders should stay a safe distance away from the vehicle while loading or unloading.
- Only use attachments and/or adapters supplied by the manufacturer. Do not use jacks or other lifting devices on the surface of the ramp.
- Failure to follow these guidelines may result in a void warranty, property damage, and/or serious personal injury.

| Model # | Application | Max Tire Width | Weight Capacity |
|-------------|-------------|----------------|--------------------|
| RR-FS-10 | Car | 8" | 1,500 lbs per ramp |
| RR-FS | Car | 12" | 1,500 lbs per ramp |
| RR-FS-16-SC | Car | 14" | 1,500 lbs per ramp |
| RR-FS-MC | Motorcycle | 8" | 750 lbs per ramp |

Loading the Vehicle

- 1. Place the FlatStoppers in line with the front and rear tires. Use a tape measure to ensure they are spaced equidistant from each other the entire length.
- 2. Proceed slowly and cautiously. With a steady, even throttle, drive up the ramps with all tires centered on the ramps, wheels pointed straight ahead.
- 3. Do not drive up the ramps with any part of the tire overlapping or extending beyond the edge of the FlatStopper. Never accelerate or apply brakes suddenly.
- 4. Once the vehicle reaches the top of the ramps, you will feel the tires settle into the tire cradles. Gently apply brakes if necessary to stop the vehicle from moving any farther.
- 5. When the tires are resting in the FlatStoppers, place the vehicle in park (or in reverse gear for manual transmissions). Set the emergency brake.

<u>Unloading the Vehicle</u>

- 1. Make sure there is adequate room and no obstructions behind the vehicle.
- 2. Release the emergency brake and shift the vehicle into reverse.
- 3. Proceed slowly and cautiously, keeping tires straight. NEVER drive forward over the front of the FlatStoppers.


Flottespers

Motorcycle Model Separate the ramps and remove the kickstand support be-

Separate the ramps and remove the kickstand support before use. Position the kickstand support with the coated side up, underneath the motorcycle kickstand.

This model may be used with certain motorcycle dollies. Position the FlatStoppers in the dolly tray and place the kickstand support in the kickstand tray. To help prevent sliding, use double-sided tape or hook-and-loop tabs (not included) at the sides of the FlatStoppers, connecting them to the sides of the motorcycle dolly.





Product Warranty and Liability

GENERAL PRODUCT WARRANTY: Products purchased from the Authorized Dealer (original place of purchase) or Merchant ("Dealer") will be free of defects in material and workmanship at the time of receipt, and will meet the specifications stated at the place of purchase transaction or online at the Dealer's website, under normal use and service when correctly installed, operated and maintained. This product warranty is effective for the period of time stated below, unless otherwise stated in the product instructions or depicted in the product advertisement. All Authorized Dealer warranties are NON-TRANSFERABLE and cover only the original end purchaser. This limited warranty does not cover products purchased through non-authorized dealers. Non-authorized dealer receipts are not accepted for warranty verification.

Warranty claims must be made directly to the original place of purchase.

WARRANTY PERIOD: This warranty remains in force for one year from the date of the product's accepted delivery. The Authorized Dealer offers a one year manufacturer's warranty for most products unless otherwise specified on the product advertisement.

WARRANTY SERVICE: The Authorized Dealer will replace any defective or malfunctioning part at no charge, including payment of the shipping costs of parts or replacement product to and from the manufacturer. The purchaser is responsible for labor charges. If the product does not meet specifications as depicted in the advertisement, the Authorized Dealer will refund the full purchase price of the product.

Questions regarding the warranty on a specific product and warranty claims should be directed to the Authorized Dealer with whom the purchase transaction was made.

WARRANTY LIMITATIONS: The above warranty does not apply to products that are repaired, modified or altered by any party other than the Authorized Dealer; are subjected to unusual physical stress or conditions (such as overloaded ramps or corrosion), natural disaster, governmental actions, wars, strikes, labor disputes, riots, theft, vandalism, terrorism or any reason beyond reasonable control; are damaged due to improper installation, misuse, abuse, accident or negligence in use, storage, transportation or handling, or tampering; or to products that are considered consumable items or items requiring repair or replacement due to normal wear and tear.

Product should be inspected prior to signing for delivery. Product damage incurred during shipping, unless noted on the Bill of Lading at the time of delivery, renders this warranty void.

LIMITED LIABILITY: In no event shall THE AUTHORIZED DEALER be liable to the purchaser or any third party for any indirect, incidental, consequential, special, exemplary or punitive damages arising out of the use of the product, including, without limitation, property damage, loss of value of the product or any third party products that are used in or with the product, or loss of use of the product or any third party products that are used in or with the product.

