

# P48-G3

Stratus Extra long Extra Tall 8,000 LBS 4 Post  
Storage Parking Lift (The 3rd Generation)



[WWW.STRATUSAUTOEQUIP.COM](http://WWW.STRATUSAUTOEQUIP.COM)

**STRATUS**  
auto equipment®

## **Sales & Showroom**

512-640-9896

5881 Imperial Loop Dr.

College Station, TX 77845

[sales@stratusautoequip.com](mailto:sales@stratusautoequip.com)

## **Warehouse & Manufacturing**


8413 Calibration Ct

College Station, TX 77845

# TECHNICAL

Model	P48-G3
Capacity	8,000 LBS
Overall Height - A	95 1/2" (2426 MM)
Overall Width - B	102 15/16" (2615 MM)
Overall Length w/ ramps - C	224 1/4" (5696 MM)
Overall Length w/o ramps - D	191 5/8" (4867 MM)
Max Lifting Height - E	82 11/16" (2100 MM)
Min Lifting Height - F	4 15/16" (125 MM)
Clearance Height - G	78 3/8" (1990 MM)
Lifting Time	~45 SEC
Width Outside Columns - H	100 9/16" (2555 MM)
Width Inside Columns - I	93 7/8" (2385 MM)
Runway width - J	18 11/16" (475 MM)
Runway Length - K	181 15/16" (4622 MM)
Width Between Runways - L	37 13/16" (960 MM)
Motor	3 HP, 110V, 60 HZ, 1PH
Oil	AW32 or AW46
Breaker	30A
Shipping Weight	1,770 LBS
Shipping Size	183" L * 23" W * 30" H

# DIMENSIONS



# FEATURES

- Hands-free lock release latch system
- Relocatable Power Unit
- Cable Failure Protection -Second safety device will be automatically locked while primary safety locks are out of operation.
- Skid proof diamond platform
- Multi-level locking positions (11 locking positions)
- Manual Safety Lock Release
- Proofed by dynamic test with 115% of rated capacity and static test with 150% rated capacity
- Powder coating finish: Granite Gray (RAL 7026) + Reinorange (RAL 2004)

## Standard Accessories (Included)

- Rolling Jack Tray
- Castor Kit (Set of 4)
- Drip Trays (3 pcs)


## Optional Add-On Accessories (Sold Separately)


- Aluminum Ramps
- SAE-BJ5 Rolling Bridge Jack
- Aluminum Center Deck

**View it on the website  
here:**



# P48-G3





## Generation 3 Stratus 4 Post 8,000 LBS Capacity Manual Release Storage Car Lift With Castors SAE-P48-G3

Introducing the remarkable 3rd Generation Stratus 4 Post Storage Car Lift, an epitome of excellent engineering and quality construction. Designed with a staggering 8,000 lbs carrying capacity, it brilliantly caters to your vehicle lifting needs. The manual safety release ensures your operations are entirely in your control, ensuring complete peace of mind. The cherry on top? The 8,000 lbs 4 post car lift comes with convenient castors making maneuverability a breeze. With the SAE-P48-G3 model, you get powerful lifting capabilities and a handy solution all wrapped in one garage car lift for storage.

### Important Notes

- A **\$250** Surcharge will be applied to the following: OR, WA, ID, MT, ND, SD and ME
- Sales tax will be automatically waived for out of Texas Buyers
- Lift will be shipped with free delivery to Commercial Address, Local Installer or Truck Terminal. Residential Addresses will have an additional **\$150** fee
- Buyer is responsible for unloading freight - freight companies have a time limit of **30 minutes**, any time exceeding will be charged to customer
- There is an In-House pick-up discount of **\$600**

### Product Features

- Hands-free lock release latch system
- Relocatable Power Unit
- Cable Failure Protection -Second safety device will be automatically locked while primary safety locks are out of operation.
- Skid proof diamond platform
- Multi-level locking positions (11 locking positions)
- Manual Safety Lock Release
- Proofed by dynamic test with 115% of rated capacity and static test with 150% rated capacity
- Powder coating finish: Granite Gray (RAL 7026) + Reinorange (RAL 2004)

### Standard Accessories (Included)

- Rolling Jack Tray
- Castor Kit (Set of 4)
- Drip Trays (3 pcs)

### Optional Accessories

- Sliding bridge jack
- Aluminum ramps

### Product Specifications



Model	<b>P48-G3</b>
Capacity	8,000 LBS
Overall Height - A	95 1/2" (2426 MM)
Overall Width - B	102 15/16" (2615 MM)
Overall Length w/ ramps - C	224 1/4" (5696 MM)
Overall Length w/o ramps - D	191 5/8" (4867 MM)
Max Lifting Height - E	82 11/16" (2100 MM)
Min Lifting Height - F	4 15/16" (125 MM)
Clearance Height - G	78 3/8" (1990 MM)
Lifting Time	~45 SEC
Width Outside Columns - H	100 9/16" (2555 MM)
Width Inside Columns - I	93 7/8" (2385 MM)
Runway width - J	18 11/16" (475 MM)
Runway Length - K	181 15/16" (4622 MM)
Width Between Runways - L	37 13/16" (960 MM)
Motor	3 HP, 110V, 60 HZ, 1PH
Oil	AW32 or AW46
Breaker	30A
Shipping Weight	1,770 LBS
Shipping Size	182" L * 22" W * 29" H

