



**GO ANYWHERE
...LIFT ANYTHING**

Table of Contents

EJ2-T	2
EJ20-1	3
EJ30-1	4
EJ30-2ELS / EJ40-2ELS	5
EJ50-2	6
EJ50-3L	7
Back Cover	8

LITHIUM BATTERY HYDRAULIC JACK

► EJ2-T



► Cordless Power

Convenient,
energy-efficient
power for use
anywhere

► Industrial Seals

High quality seal for
maximum performance



► Dual Safety Valve System

Slow descent
control and overload
protection ensure
safe, stable lifting

MODEL EJ2-T

Capacity	2t
Rated Voltage	DC 18V
Rated Power	400W
Rated Current	20A
Battery Capacity	5000mAh
Battery Energy	90Wh
Net Weight	48kg
Gross Weight	50kg
Packing Size	86x41x30cm

- A 14.17 in
- B 11.77 in
- C 14.48 in
- D 20.86 in
- E 48 in
- F 3.74 in
- G 28.94 in
- α 85°



LITHIUM BATTERY HYDRAULIC JACK



► EJ20-1

► Cordless Power

Convenient, energy-efficient power for use anywhere



► Anti Collision Wheel for Battery Pack protection

► Elliptical Handle

Stunning design with built-in connecting rod.

► Multiple Adaptors

Small, medium and large to suit any situation

► Industrial Seals

High quality seal for maximum performance

► Dual Safety Valve System

Slow descent control and overload protection ensure safe, stable lifting

► LED Lamp

Locate lifting point with ease.

► Dual Speed Piston Rod

Fast rapid extension or Slow precise positioning.

► Hard Chrome-Plated Cylinder:


Enhanced durability and corrosion resistance for long service life



MODEL EJ20-1

Rated Voltage	36V
Battery Qty	2pcs
Capacity	20t
Net Weight	43.5kg
Gross Weight	46kg
Packing Size	607x317x341mm

A	22.65 in
B	10.63 in
C	59.88 in
E	8.27 in
F	15.53 in
G	3.35 in
K1	3.94 in
K2	1.97 in
K3	0.79 in
α	45°
β	35°



LITHIUM BATTERY HYDRAULIC JACK



► EJ30-1

► Cordless Power

Convenient, energy-efficient power for use anywhere



► Anti Collision Wheel for Battery Pack protection

► Elliptical Handle

Stunning design with built-in connecting rod.

► Multiple Adaptors

Small, medium and large to suit any situation

► Industrial Seals

High quality seal for maximum performance

► Dual Safety Valve System


Slow descent control and overload protection ensure safe, stable lifting



MODEL EJ30-1

Rated Voltage	36V
Battery Qty	2pcs
Capacity	30t
Net Weight	50kg
Gross Weight	53kg
Packing Size	607x317x341mm

A	21.54 in
B	10.63 in
C	59.88 in
E	8.27 in
F	15.53 in
G	2.48 in
K1	3.94 in
K2	1.97 in
K3	0.78 in
α	45°
β	35°



► Dual Speed Piston Rod

Fast rapid extension or Slow precise positioning.

► Hard Chrome-Plated Cylinder:

Enhanced durability and corrosion resistance for long service life

LITHIUM BATTERY HYDRAULIC JACK



► EJ30-2ELS / EJ40-2ELS

► **Cordless Power**

Convenient, energy-efficient power for use anywhere



► **Anti Collision Wheel**
for Battery Pack protection

► **Elliptical Handle**

Stunning design with built-in connecting rod.

► **Multiple Adaptors**

Choose from two sizes to suit any situation

► **Industrial Seals**

High quality seal for maximum performance

► **Dual Safety Valve System**

Slow descent control and overload protection ensure safe, stable lifting



MODEL	EJ30-2ELS	EJ40-2ELS
Rated Voltage	36V	36V
Battery Qty	2pcs	2pcs
Capacity	▲ 30t/▲ 15t	▲ 40t/▲ 20t
Net Weight	40kg	46.5kg
Gross Weight	43kg	49kg
Packing Size	607x317x341mm	607x317x341mm



EJ30-2ELS

A 22.55 in
B 10.63 in
C 59.88 in
E 5.91 in
F 3.07 in
G 2.75 in
K1 2.95 in
K2 1.77 in
α 45°
β 35°

EJ40-2ELS

A 22.91 in
B 10.63 in
C 60 in
E 5.91 in
F 3.0 in
G 2.75 in
K1 2.95 in
K2 1.77 in
α 45°
β 35°

► **LED Lamp**
Locate lifting point with ease.



► **Dual Speed Piston Rod**

Fast rapid extension or Slow precise positioning.

► **Hard Chrome-Plated Cylinder:**

Enhanced durability and corrosion resistance for long service life

LITHIUM BATTERY HYDRAULIC JACK




► EJ50-2



MODEL EJ50-2

Rated Voltage	36V
Battery Qty	2pcs
Capacity	50t/25t
Net Weight	72.5kg
Gross Weight	76kg
Packing Size	779x329x343mm



► Cordless Power

Convenient, energy-efficient power for use anywhere

► Anti Collision Wheel for Battery Pack protection

► Elliptical Handle

Stunning design with built-in connecting rod.

► Multiple Adaptors

Choose from two sizes to suit any situation


► Industrial Seals

High quality seal for maximum performance

► Dual Safety Valve System

Slow descent control and overload protection ensure safe, stable lifting

- A 29.68 in
- B 10.63 in
- C 59.84 in
- E 8.46 in
- F 4.72 in
- G 4.61 in
- K1 2.95 in
- K2 1.77 in
- α 45°
- β 35°



► LED Lamp


Locate lifting point with ease.

► Dual Speed Piston Rod

Fast rapid extension or Slow precise positioning.

► Hard Chrome-Plated Cylinder:

Enhanced durability and corrosion resistance for long service life




LITHIUM BATTERY HYDRAULIC JACK



► EJ50-3L

► Cordless Power

Convenient, energy-efficient power for use anywhere



► Anti Collision Wheel for Battery Pack protection

► Elliptical Handle

Stunning design with built-in connecting rod.

► Multiple Adaptors

Choose from two sizes to suit any situation

► Industrial Seals

High quality seal for maximum performance

► Dual Safety Valve System



Slow descent control and overload protection ensure safe, stable lifting

MODEL EJ50-3L

Rated Voltage	36V
Battery Qty	2pcs
Capacity	▲ 50t/▲ 30t/▲ 15t
Net Weight	60kg
Gross Weight	64kg
Packing Size	779x329x343mm



A	5.91 in
B	2.44 in
C	2.13 in
D	2.56 in
E	2.95 in
F	1.77 in
G	/
H	29.33 in
I	10.63 in
J	59.84 in



► LED Lamp


Locate lifting point with ease.

► Dual Speed Piston Rod

Fast rapid extension or Slow precise positioning.

► Hard Chrome-Plated Cylinder:

Enhanced durability and corrosion resistance for long service life



Stan Design Inc.
1821A Mattawa Ave.
Mississauga, Ontario
L4X 1K5 Canada



www.stanjacks.com